

Comfort-Aire®



Fan Product Catalog

www.comfort-aire.com

MARS[®]
Delivering Confidence

Table of Contents

Desktop Fans	
10" Metal Desktop Fans.....	1
12" Metal Desktop Fans.....	2
12" Plastic Desktop Fans.....	3
16" Metal Desktop Fans.....	4
16" Plastic Desktop Fans.....	5
Pedestal Fans	
14" Metal Pedestal Fans.....	6
16" Metal Pedestal Fans.....	7
18" Metal Pedestal Fans.....	8
18" Plastic Pedestal Misting Fan.....	9
Box Fans	
20" Plastic Box Fans.....	9
Tower Fans	
28" & 42" Plastic Tower Fans.....	10
Window Fan	
9" Plastic Twin Window Fan.....	10
18" Plastic Wall Fan	
18" Plastic Wall Fan.....	11
Floor Fans	
20" Metal Floor Fan.....	11
20" Plastic Circulator Floor Fan.....	11
Commercial Pedestal Fans	
30" Metal Oscillating Pedestal Fan.....	12
30" Metal Fixed Pedestal Fan.....	12
Commercial Drum Fans	
24" Tilted Drum Fan.....	13
30" Fixed Direct Drive Drum Fan.....	13
36" Fixed Direct Drive Drum Fan.....	13
36" Fixed Belt Drive Drum Fan.....	14
42" Fixed Belt Drive Drum Fan.....	14



Visit us online at: www.comfort-aire.com

10" Metal Desktop Fans



FD-1030DTO-MBL

10" Metal Oscillating Desktop Fan MATTE BLACK

10" vintage styled steel construction desktop fan with a matte black finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 30 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	10	
Volts	115	
Finish/Color	Matte Black	
Watts	30	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Black	
Gross Weight	7.1	
Net Weight	5.7	
Certification	ETL	
Dimensions (in.)	Height	14
	Width	12
	Depth	9



FD-1030DTO-MBR

10" Metal Oscillating Desktop Fan BRASS

10" vintage styled steel construction desktop fan with a brass finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 30 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	10	
Volts	115	
Finish/Color	Brass	
Watts	30	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Brass	
Gross Weight	7.1	
Net Weight	5.7	
Certification	ETL	
Dimensions (in.)	Height	14
	Width	12
	Depth	9



FD-1030DTO-MCH

10" Metal Oscillating Desktop Fan CHROME

10" vintage styled steel construction desktop fan with a chrome finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 30 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	10	
Volts	115	
Finish/Color	Chrome	
Watts	30	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Chrome	
Gross Weight	7.1	
Net Weight	5.7	
Certification	ETL	
Dimensions (in.)	Height	14
	Width	12
	Depth	9

12" Metal Desktop Fans



FD-1230DTO-MBL

12" Metal Oscillating Desktop Fan MATTE BLACK

12" vintage styled steel construction desktop fan with a matte black finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 30 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	12	
Volts	115	
Finish/Color	Matte Black	
Watts	30	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Black	
Gross Weight	8.2	
Net Weight	7.1	
Certification	ETL	
Dimensions (in.)	Height	16
	Width	13
	Depth	9.5



FD-1230DTO-MBR

12" Metal Oscillating Desktop Fan BRASS

12" vintage styled steel construction desktop fan with a brass finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 30 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	12	
Volts	115	
Finish/Color	Brass	
Watts	30	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Brass	
Gross Weight	8.2	
Net Weight	7.1	
Certification	ETL	
Dimensions (in.)	Height	16
	Width	13
	Depth	9.5



FD-1230DTO-MCH

12" Metal Oscillating Desktop Fan CHROME

12" vintage styled steel construction desktop fan with a chrome finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 30 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	12	
Volts	115	
Finish/Color	Chrome	
Watts	30	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Chrome	
Gross Weight	8.2	
Net Weight	7.1	
Certification	ETL	
Dimensions (in.)	Height	16
	Width	13
	Depth	9.5

12" Plastic Desktop Fans



FD-1230DTO-PBL

12" Plastic Oscillating Desktop Fan BLACK

12" black plastic desktop fan, 3 speeds with oscillation, base mounted button controls, direct drive motor, 3 plastic blades, adjustable metal tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, ultra quiet operation, convenient carry handle, 115 Volts - 60 HZ, 35 Watts, 5' 5" power cord, polarized plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches		12
Volts		115
Finish/Color		Black
Watts		35
Speeds		3
Drive System		Direct drive
Blades (qty)		3
Blades Color		Black
Gross Weight		6.4
Net Weight		5.1
Certification		ETL
Dimensions (in.)	Height	18.50
	Width	13.78
	Depth	10.24



FD-1230DTO-PWH

12" Plastic Oscillating Desktop Fan WHITE

12" white plastic desktop fan, 3 speeds with oscillation, base mounted button controls, direct drive motor, 3 plastic blades, adjustable metal tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, ultra quiet operation, convenient carry handle, 115 Volts - 60 HZ, 35 Watts, 5' 5" power cord, polarized plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches		12
Volts		115
Finish/Color		White
Watts		35
Speeds		3
Drive System		Direct drive
Blades (qty)		3
Blades Color		White
Gross Weight		6.4
Net Weight		5.1
Certification		ETL
Dimensions (in.)	Height	18.50
	Width	13.78
	Depth	10.24

Congrat-Cline[®]

MARS[®]
marsdelivers.com

16" Metal Desktop Fans



FD-1630DT0-MBL

16" Metal Oscillating Desktop Fan MATTE BLACK

16" vintage styled steel construction desktop fan with a matte black finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 50 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16	
Volts	115	
Finish/Color	Matte Black	
Watts	50	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Black	
Gross Weight	11	
Net Weight	9.3	
Certification	ETL	
Dimensions (in.)	Height	21
	Width	18
	Depth	10



FD-1630DT0-MBR

16" Metal Oscillating Desktop Fan BRASS

16" vintage styled steel construction desktop fan with a brass finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 50 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16	
Volts	115	
Finish/Color	Brass	
Watts	50	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Brass	
Gross Weight	11	
Net Weight	9.3	
Certification	ETL	
Dimensions (in.)	Height	21
	Width	18
	Depth	10



FD-1630DT0-MCH

16" Metal Oscillating Desktop Fan CHROME

16" vintage styled steel construction desktop fan with a chrome finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, convenient carry handle, 120 Volts - 60 HZ, 50 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16	
Volts	115	
Finish/Color	Chrome	
Watts	50	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Chrome	
Gross Weight	11	
Net Weight	9.3	
Certification	ETL	
Dimensions (in.)	Height	21
	Width	18
	Depth	10

16" Plastic Desktop Fans



FD-1630DT0-PBL

16" Plastic Oscillating Desktop Fan BLACK

16" black plastic desktop fan, 3 speeds with oscillation, base mounted button controls, direct drive motor, 3 plastic blades, adjustable metal tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, ultra quiet operation, convenient carry handle, 115 Volts - 60 HZ, 35 Watts, 5' 5" power cord, polarized plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16	
Volts	115	
Finish/Color	Black	
Watts	35	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	3	
Blades Color	Black	
Gross Weight	7.4	
Net Weight	5.9	
Certification	ETL	
Dimensions (in.)	Height	23.15
	Width	17.8
	Depth	11.22



FD-1630DT0-PWH

16" Plastic Oscillating Desktop Fan WHITE

16" white plastic desktop fan, 3 speeds with oscillation, base mounted button controls, direct drive motor, 3 plastic blades, adjustable metal tilt fan head, removable and washable grill around the fan blades to protect them from hands, objects and debris, ultra quiet operation, convenient carry handle, 115 Volts - 60 HZ, 35 Watts, 5' 5" power cord, polarized plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16	
Volts	115	
Finish/Color	White	
Watts	35	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	3	
Blades Color	White	
Gross Weight	7.4	
Net Weight	5.9	
Certification	ETL	
Dimensions (in.)	Height	23.15
	Width	17.8
	Depth	11.22

MarsDelivers[®]

MARS[®]
marsdelivers.com

14" Metal Pedestal Fans



FP-1430DTO-MBL

14" Metal Oscillating Pedestal Fan MATTE BLACK

33" minimum height
47" maximum height

14" vintage styled steel construction pedestal fan with a matte black finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 33" minimum height / 47" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 45 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	14	
Volts	115	
Finish/Color	Matte Black	
Watts	45	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Black	
Gross Weight	13.5	
Net Weight	11.9	
Certification	ETL	
Dimensions (in.)	Height	39
	Width	14
	Depth	13.5



FP-1430DTO-MBR

14" Metal Oscillating Pedestal Fan BRASS

33" minimum height
47" maximum height

14" vintage styled steel construction pedestal fan with a brass finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 33" minimum height / 47" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 45 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	14	
Volts	115	
Finish/Color	Brass	
Watts	45	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Brass	
Gross Weight	13.5	
Net Weight	11.9	
Certification	ETL	
Dimensions (in.)	Height	39
	Width	14
	Depth	13.5



FP-1430DTO-MCH

14" Metal Oscillating Pedestal Fan CHROME

33" minimum height
47" maximum height

14" vintage styled steel construction pedestal fan with a chrome finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 33" minimum height / 47" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 45 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	14	
Volts	115	
Finish/Color	Chrome	
Watts	45	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	4	
Blades Color	Chrome	
Gross Weight	13.5	
Net Weight	11.9	
Certification	ETL	
Dimensions (in.)	Height	39
	Width	14
	Depth	13.5

16" Metal Pedestal Fans



FP-1630DT0-MBL

16" Metal Oscillating Pedestal Fan MATTE BLACK

35" minimum height
48" maximum height

16" vintage styled steel construction pedestal fan with a matte black finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 35" minimum height / 48" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 50 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16
Volts	115
Finish/Color	Matte Black
Watts	50
Speeds	3
Drive System	Direct drive
Blades (qty)	4
Blades Color	Black
Gross Weight	15.9
Net Weight	14.1
Certification	ETL
Dimensions (in.)	Height
	43
	Width
	16
	Depth
	13.5



FP-1630DT0-MBR

16" Metal Oscillating Pedestal Fan BRASS

35" minimum height
48" maximum height

16" vintage styled steel construction pedestal fan with a brass finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 35" minimum height / 48" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 50 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16
Volts	115
Finish/Color	Brass
Watts	50
Speeds	3
Drive System	Direct drive
Blades (qty)	4
Blades Color	Brass
Gross Weight	15.9
Net Weight	14.1
Certification	ETL
Dimensions (in.)	Height
	43
	Width
	16
	Depth
	13.5



FP-1630DT0-MCH

16" Metal Oscillating Pedestal Fan CHROME

35" minimum height
48" maximum height

16" vintage styled steel construction pedestal fan with a chrome finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 35" minimum height / 48" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 50 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	16
Volts	115
Finish/Color	Chrome
Watts	50
Speeds	3
Drive System	Direct drive
Blades (qty)	4
Blades Color	Chrome
Gross Weight	15.9
Net Weight	14.1
Certification	ETL
Dimensions (in.)	Height
	43
	Width
	16
	Depth
	13.5

18" Metal Pedestal Fans



FP-1830DTO-MBL

18" Metal Oscillating Pedestal Fan MATTE BLACK

38" minimum height
51" maximum height

18" vintage styled steel construction pedestal fan with a matte black finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 38" minimum height / 51" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 60 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	18
Volts	115
Finish/Color	Matte Black
Watts	60
Speeds	3
Drive System	Direct drive
Blades (qty)	4
Blades Color	Black
Gross Weight	17
Net Weight	15.2
Certification	ETL
Dimensions (in.)	Height
	48
	Width
	18
	Depth
	16



FP-1830DTO-MBR

18" Metal Oscillating Pedestal Fan BRASS

38" minimum height
51" maximum height

18" vintage styled steel construction pedestal fan with a brass finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 38" minimum height / 51" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 60 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	18
Volts	115
Finish/Color	Brass
Watts	60
Speeds	3
Drive System	Direct drive
Blades (qty)	4
Blades Color	Brass
Gross Weight	17
Net Weight	15.2
Certification	ETL
Dimensions (in.)	Height
	48
	Width
	18
	Depth
	16



FP-1830DTO-MCH

18" Metal Oscillating Pedestal Fan CHROME

38" minimum height
51" maximum height

18" vintage styled steel construction pedestal fan with a chrome finish, 3 speeds with oscillation, direct drive motor, 4 aluminum fan blades, rotary switch, adjustable tilt fan head, height adjustable - 38" minimum height / 51" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 60 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	18
Volts	115
Finish/Color	Chrome
Watts	60
Speeds	3
Drive System	Direct drive
Blades (qty)	4
Blades Color	Chrome
Gross Weight	17
Net Weight	15.2
Certification	ETL
Dimensions (in.)	Height
	48
	Width
	18
	Depth
	16

18" Plastic Pedestal Misting Fan



FP-1830DTOM-PBL

18" Plastic Pedestal Misting Fan BLACK

45" minimum height
54" maximum height

18" plastic pedestal misting fan with a black finish, 3 speeds with oscillation, direct drive motor, 3 black plastic fan blades, rotary switch, adjustable tilt fan head, height adjustable - 43" minimum height / 54" maximum, removable and washable grill around the fan blades to protect them from hands, objects and debris, 120 Volts - 60 HZ, 35 Watts, 5' 5" power cord, fused safety plug, minimal assembly required, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	18
Volts	115
Finish/Color	Black
Watts	35
Speeds	3
Drive System	Direct drive
Blades (qty)	3
Blades Color	Black
Gross Weight	21.6
Net Weight	16.8
Certification	ETL
Dimensions (in.)	Height
	54.33
	Width
	19.69
	Depth
	16.93

20" Box Fans



FF-2030Dxx-PBL

20" Plastic Box Fan BLACK

20" box fan with a black finish, 3 speeds, direct drive motor, 5 black plastic fan blades, rotary switch, 120 Volts - 60 HZ, 55 Watts, 5' 5" power cord, fused safety plug, fully assembled for immediate use, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	20
Volts	115
Finish/Color	Black
Watts	55
Speeds	3
Drive System	Direct drive
Blades (qty)	5
Blades Color	Black
Gross Weight	8.4
Net Weight	6.9
Certification	ETL
Dimensions (in.)	Height
	21.06
	Width
	20.67
	Depth
	4.13



FF-2030Dxx-PWH

20" Plastic Box Fan WHITE

20" box fan with a white finish, 3 speeds, direct drive motor, 5 white plastic fan blades, rotary switch, 120 Volts - 60 HZ, 55 Watts, 5' 5" power cord, fused safety plug, fully assembled for immediate use, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	20
Volts	115
Finish/Color	White
Watts	55
Speeds	3
Drive System	Direct drive
Blades (qty)	5
Blades Color	White
Gross Weight	8.4
Net Weight	6.9
Certification	ETL
Dimensions (in.)	Height
	21.06
	Width
	20.67
	Depth
	4.13

28" & 42" Tower Fans

9" Twin Window Fan



Control Panel

FT-2830Dx0-PBL

28" Plastic Tower Fan BLACK

28" tower fan with a black finish, 3 speed settings, top mounted rotary control, oscillation, space saving design, 120 volts, 35 watts, fully assembled, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	28	
Volts	115	
Finish/Color	Black	
Watts	35	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	—	
Blades Color	—	
Gross Weight	7.5	
Net Weight	6.4	
Certification	UL	
Dimensions (in.)	Height	27.5
	Width	12
	Depth	12



Control Panel



Remote Control

FT-4230Dx0-PBL

42" Plastic Tower Fan BLACK

42" tower fan with a black finish, 3 speed settings, top mounted controls with remote control, oscillation, space saving design, 120 volts, 45 watts, fully assembled, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	42	
Volts	115	
Finish/Color	Black	
Watts	45	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	—	
Blades Color	—	
Gross Weight	13.7	
Net Weight	10.4	
Certification	UL	
Dimensions (in.)	Height	41.5
	Width	9.45
	Depth	9.45



FWI-0930Dxx-PWH

9" Plastic Twin Window Fan WHITE

9" twin window fan with a white finish, 3 speeds, manual room temperature/thermostat, 2 independent fan motors, double built-in extending panel for window installation, fan can be reversed to exhaust stale hot air from the inside with the touch of a button, clip on feet to convert to floor fan, direct drive motor, 100% copper motor, 6 white fan blades, rotary switch, convenient carry handle, 120 Volts - 60 HZ, 55 Watts, 5' power cord, fused safety plug, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	9	
Volts	115	
Finish/Color	White	
Watts	55	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	6	
Blades Color	White	
Gross Weight	7.7	
Net Weight	6.6	
Certification	ETL	
Dimensions (in.)	Height	12.83
	Width	23.86
	Depth	5.51

18" Plastic Wall Fan



FW-1830DT0-PWH

18" Plastic Wall Fan WHITE

18" wall fan with a white finish, 3 speeds with control dial and pull cord, 120 volts - 60 HZ, 55 watts, powder coated steel grill, chemical resistant polypropylene blades, 30 degree oscillation or can be locked in non oscillating position, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	18	
Volts	115	
Finish/Color	White	
Watts	55	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	3	
Blades Color	White	
Gross Weight	10.3	
Net Weight	7.1	
Certification	ETL	
Dimensions (in.)	Height	20.79
	Width	7.76
	Depth	20.67

20" Metal Floor Fan



FF-2030DTx-MBL

20" Metal Floor Fan BLACK

20" metal floor fan with black finish, 3 speed fan settings, 3 aluminum fan blades, adjustable tilt fan head, all metal construction, 100% copper motor, 120 Volts, 140 watts, carry handle, rubber pads protect surfaces, converts to wall use, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	20	
Volts	115	
Finish/Color	Black	
Watts	140	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	3	
Blades Color	Aluminum	
Gross Weight	15.8	
Net Weight	12.5	
Certification	UL	
Dimensions (in.)	Height	23.23
	Width	10.04
	Depth	23.62

20" Plastic Floor Fan



FF-2030DTx-PBL

20" Plastic Circulator Floor Fan BLACK

20" circulator floor fan with black finish, 3 speed fan settings, 5 plastic fan blades, adjustable tilt fan head, plastic construction, 120 Volts, 70 watts, convenient carry handle, converts to wall use, fully assembled, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	20	
Volts	115	
Finish/Color	Black	
Watts	70	
Speeds	3	
Drive System	Direct drive	
Blades (qty)	5	
Blades Color	Black	
Gross Weight	9	
Net Weight	7.3	
Certification	ETL	
Dimensions (in.)	Height	24.17
	Width	7.09
	Depth	24.09

30" Commercial Pedestal Fans



FP-3030DTO-MBL

30" Metal Oscillating Pedestal Fan BLACK

63" minimum height
76" maximum height

30" metal oscillating pedestal fan with black finish, 3 fan speeds, 3 aluminum fan blades, adjustable height - 63" to 77", adjustable tilt, indoor use only, 7800 CFM, direct drive, 6' power cord, 115V, 280 Watts, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches		30
Volts		115
Finish/Color		Black
Watts		280
Speeds		3
Drive System		Direct drive
Blades (qty)		3
Blades Color		Aluminum
Gross Weight		50.4
Net Weight		40.2
Certification		UL
Dimensions (in.)	Height	63
	Width	32
	Depth	27



FP-3030DTx-MBL

30" Metal Fixed Pedestal Fan BLACK

63" minimum height
76" maximum height

30" metal fixed pedestal fan with black finish, 3 fan speeds, 3 aluminum fan blades, adjustable height - 63" to 72", adjustable tilt, indoor use only, 7800 CFM, direct drive, 6' power cord, 115V, 230 Watts, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches		30
Volts		115
Finish/Color		Black
Watts		230
Speeds		3
Drive System		Direct drive
Blades (qty)		3
Blades Color		Aluminum
Gross Weight		47.3
Net Weight		39.7
Certification		UL
Dimensions (in.)	Height	63
	Width	32
	Depth	27

COMMERCIAL



FB-2430DTx-MBL

24" Tilted Drum Fan
BLACK

24" tilted drum fan with a black finish, steel construction, 2 fan speeds, adjustable tilt, direct drive, convenient handles, 2 wheels, 8,450 CFM, 115 V, 282 watts, 6' power cord, indoor use only, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	24
Volts	115
Finish/Color	Black
Watts	282
Speeds	2
Drive System	Direct drive
Blades (qty)	3
Blades Color	Aluminum
Gross Weight	30.8
Net Weight	27.6
Certification	UL
Dimensions (in.)	Height 30
	Width 29.2
	Depth 9.5



FB-3030Dxx-MBL

30" Fixed Direct Drive Drum Fan
BLACK

30" fixed drum fan with a black finish, steel construction, 2 fan speeds, 3 aluminum fan blades, direct drive, convenient handles, 2 wheels, 7,800 CFM, 115 V, 340 watts, 6' power cord, indoor use only, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	30
Volts	115
Finish/Color	Black
Watts	340
Speeds	2
Drive System	Direct drive
Blades (qty)	3
Blades Color	Aluminum
Gross Weight	49.3
Net Weight	42.3
Certification	UL
Dimensions (in.)	Height 34
	Width 32.7
	Depth 9.5



FB-3630Dxx-MBL

36" Fixed Direct Drive Drum Fan
BLACK

36" fixed drum fan with a black finish, steel construction, 2 fan speeds, 3 aluminum fan blades, direct drive, convenient handles, 2 wheels, 11,950 CFM, 115 V, 520 watts, 6' power cord, indoor use only, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	36
Volts	115
Finish/Color	Black
Watts	520
Speeds	2
Drive System	Direct drive
Blades (qty)	3
Blades Color	Aluminum
Gross Weight	59.1
Net Weight	52.3
Certification	UL
Dimensions (in.)	Height 39.5
	Width 39
	Depth 11.2

36" 42" Commercial Drum Fans



FB-3630Bxx-MBL

36" Fixed Belt Drive Drum Fans BLACK

36" fixed belt drive drum fan with a black finish, steel construction, 2 fan speeds, 3 aluminum fan blades, convenient handles, 2 wheels, 13,400 CFM, 115 V, 520 watts, 6' power cord, indoor use only, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	36
Volts	115
Finish/Color	Black
Watts	520
Speeds	2
Drive System	Belt drive
Blades (qty)	4
Blades Color	Aluminum
Gross Weight	78.9
Net Weight	71.1
Certification	UL
Dimensions (in.)	Height 39
	Width 39
	Depth 21



FB-4230Bxx-MBL

42" Fixed Belt Drive Drum Fans BLACK

42" fixed belt drive drum fan with a black finish, steel construction, 2 fan speeds, 3 aluminum fan blades, convenient handles, 2 wheels, 15,790 CFM, 115 V, 670 watts, 6' power cord, indoor use only, 1 year limited warranty.

SPECIFICATIONS

Diameter in Inches	42
Volts	115
Finish/Color	Black
Watts	670
Speeds	2
Drive System	Belt drive
Blades (qty)	4
Blades Color	Aluminum
Gross Weight	96.0
Net Weight	86.5
Certification	UL
Dimensions (in.)	Height 45
	Width 44
	Depth 22.8

Conquest-Drive[®]

MARS[®]
marsdelivers.com



The Quality Leader in Conditioning Air

There's the confidence that comes from dealing with a company that's been around for generations. Founded in 1933, we can actually trace our beginnings to the Wingert Furnace Company which began building coal, gas and oil furnaces in 1907. Headquartered in Jackson, Michigan, since 1955, our facility, our staff and our product offerings have grown over the years to meet changes in the HVAC industry, including emerging technologies and regulatory requirements.

MARS is known throughout the industry for efficient, reliable products and in-season availability. Whether for heating or cooling, these products meet or exceed industry standards for energy efficiency. Added to that, the line is constantly being updated to add the features and new technology customers demand.

REST ASSURED: VALUE-ADDED PROGRAMS

When you buy Comfort-Aire products, you're purchasing the peace of mind that comes from dealing with a company that's been in business for over 75 years. We have a well-deserved reputation not only for quality products, but also for standing behind those products with excellent warranty and support programs. Comfort-Aire backs all its products with some of the strongest warranties in the industry. For details see the warranty card packed with the unit, or refer to our web site for copies of warranty details. Our products are built to exacting standards, but should you experience a problem, you can rely on our nationwide network of service providers. Our room air products are accompanied by detailed, comprehensive installation and operating manuals and these, along with other technical data, are also available on our website.

Comfort-Aire®

Due to ongoing product improvements, specifications and dimensions are subject to change and correction without notice or incurring obligations. Determining the application and suitability for use of any product is the responsibility of the installer.

Additionally, the installer is responsible for verifying dimensional data on the actual product prior to beginning any installation preparations.

Incentive and rebate programs have precise requirements as to product performance and certification. All products meet applicable regulations in effect on date of manufacture; however, certifications are not necessarily granted for the life of a product.

Therefore, it is the responsibility of the applicant to determine whether a specific model qualifies for these incentive/rebate programs.

"This product complies with all California product labeling laws including, but not limited to, the Safe Drinking Water and Toxic Enforcement Act of 1986, more commonly known as Proposition 65."